



E3SBT4

Local distributor code:

422503949





Overview

Presentation	Battery string for use with Easy UPS 3S with internal battery slots and Easy UPS 3S Empty Modular Battery Cabinet (E3SXR6). Each battery string consists of four 7.2 Ah battery modules.

Lead Time Usually Ships within 6 Weeks

Main

Battery Type VRLA

Batteries & Runtime

Number Of Battery Free Slots	0
Number Of Battery Filled Slots	0
Device Mounting	Enclosed battery cartridge
Battery Power In Vah	0 VAh

Physical

Height	15.7 cm
Width	42.8 cm
Depth	76 cm
Net Weight	108 kg
Mounting Mode	Not rack-mountable

Environmental

Ambient Air Temperature For Operation	040 °C
Operating Altitude	03281 ft
Relative Humidity	095 % non-condensing
Ambient Air Temperature For Storage	-1540 °C
Storage Altitude	0.0015240.00 m
Storage Relative Humidity	095 % non-condensing

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	18.000 cm

Package 1 Width	60.000 cm
Package 1 Length	82.000 cm
Package 1 Weight	137 000 kg

Contractual warranty

Warranty 1 year repair or replace



Green PremiumTM **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >



RoHS/REACh

Well-being performance



Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
China Rohs Regulation	China RoHS declaration
Weee	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins